# TIRE REPAIR TOOLS

# STITCHERS AND SCRAPERS

- RUBBER SCRAPER
- STITCHER/BUFFER
- STITCHER, 1½", 38mm x 1/8", 3mm
- STITCHER, 1½", 38mm x 1/32", 0.8mm
- STITCHER, 2", 50mm x ¼", 6mm

### AWLS AND PACKING TOOLS

- 3" CEMENT TOOL with polypropylene handle
- SPIRAL CEMENT TOOL
- DUCK BILL AWL, 4", 100mm length
- POINTED AWL, 8", 200mm length (screwdriver-style handle)
- SKIVE PACKING TOOL, 2", 50mm x ¼", 6mm
- SKIVE PACKING TOOL, 2", 50mm x 3/8", 10mm

#### SKIVING KNIVES & SCISSORS

- RUBBER SCRAPER
- TAPER SKIVING KNIFE
- EXTRA CURVE SKIVING KNIFE
- ROUND POINT FLEXIBLE SKIVING KNIFE
- HEAVY DUTY RETREAD SCISSORS 5", 125mm cut







### EXTRUDER GUNS (110V / 220V) MINI / GIANT





Description	Connection (volt/ watt)	Rubber throughput (lbs./h)	Operating pressure (psi)	Box/ Qty
Blackstone Extruder MINI, 110V	110/550	39.6	90	1
Blackstone Extruder MINI, 220V	220/550	39.6	90	1
Blackstone Extruder GIANT, 110V	110/550	61.6	90	1
Blackstone Extruder GIANT, 220V	220/550	61.6	90	1

# YELLOW CRAYONS

High quality, easy to see marking crayons

### AIR TOOLS

High Speed22000 RPMSlow Speed3500 RPM



### CARBIDE CUTTERS

- CARBIDE CUTTER, 3", 75mm length, for ¼", 6mm injuries
- CARBIDE CUTTER, 4", 100mm length, for 5/16", 8mm injuries
- CARBIDE CUTTER, 4"9/16, 120mm length, for 3/8", 10mm injuries
- CARBIDE CUTTER, 5", 125mm length, for ½", 13mm injuries

#### ALUMINIUM OXIDE STONES

- MINI-PENCIL STONE, 7/16", 10.5mm, mounted on a 1/8", 3mm shaft
- PENCIL STONE, 1 1/16", 25mm long 5/16", 8mm width
- SMALL PENCIL STONE, 1 1/16", 25mm long ¼", 6mm width (not shown)
- MUSHROOM STONE, 1 5/8", 40mm diameter, mounted on a ¼", 6mm shaft
- MINI MUSHROOM STONE, ½", 13mm x ¼", 6mm mounted on a 1/8", 3mm shaft
- CONICAL STONE, 1 1/8", 20mm x ¾", 20mm wide mounted on a ¼", 6mm shaft
- MUSHROOM STONE, 1¼", 30mm diameter, mounted on a ¼", 6mm shaft







#### CONTOUR CUPS

To be used with Air Tools having Max Speed of 3500 RPM only, while buffing tire inner liner or tubes.



# ROUND FACED RASPS

To be used with Air Tools having Max Speed of 3500 RPM only, while buffing tire inner liner or tubes.



#### ROTARY GOUGES

Lightweight construction and cooler running design enhances the performance and life of these rubber cutting gouges. The razor-like surface quickly removes large quantities of rubber. Fast and easy rubber removal design minimizes operator fatigue and permits better control.



#### OTR TIRE SPOTTER

Blackstone OTR Tire Spotter is an excellent tool for minor repairs in Bias & Radial OTR tires. Most minor injuries in radial and bias tyres can be repaired in a shorter time.

